The earnest money will not be adjusted towards the value of timber until 90 per cent of the purchase money over and above the security deposit has been paid. Interest at 6¼ per cent per annum will be levied on all arrears of amount permitted to be paid after the due dates.

10. The timber purchased should be removed as early as possible, and in no case should it be allowed to remain longer than 90 days after the dates fixed in clause 7 *supra*. Timber not removed after purchase will remain in the depot at the risk of the purchaser from the date of the confirmation of the sale.

11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, on the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

M. A. MUTHANNA,
District Forest Officer

ENGINEERING DEPARTMENT

OFFICE OF THE EXECUTIVE ENGINEER, WATER SUPPLY DIVISION, BANGALORE.

Notification dated 26th April 1939.

It is hereby notified for the information of the public that the unserviceable Tools and Plant articles of this Division and the serviceable Tools as per details noted below, will be sold in public auction at the premises and dates noted against each section, respectively.

The materials may be inspected between 11 A.M. and 5 P.M. during the working days.

In case the disposal of the listed materials is not over by 12 noon of the same day, the auction will be continued on the next working day from 9 A.M. to 12 Noon for completing the items noted in each section.

The Executive Engineer is empowered to withhold wholly or partly any item in the list from being auctioned at his discretion. The articles are open for auction, subject to being not used in the meantime by the Department.

Terms and Conditions of Sale.

(1) The articles will be auctioned in lots and will be knocked down to the highest bidder and in the event of any dispute arising between two or more bidders at the same price, the articles shall be put up again for auction and resold.

(2) The highest bidder whose offer is approved, shall pay 25 per cent of the sale amount at once and the balance should be paid in cash before taking delivery of the materials from the yard. The materials sold should be removed on the same day before 5 P.M. after full payment.

(3) In case of failure to pay up the balance as per para 2 *supra*, the articles shall be reauctioned at the risk of the first successful bidder and any loss sustained thereby should be reimbursed by the defaulter, but he is not entitled to any profit that might accrue in the reauction.

(4) The highest bidder shall ordinarily be the purchaser, but the officer conducting the sale can reject the bid or stop the sale at any stage without assigning any reason therefor.

(5) Immediately after the material is knocked down, the successful bidder shall sign his name opposite the number and specification of the material bought by him in a Sale List provided for the purpose. Such signature shall be held as admission on his part of having bought such materials and of having accepted the terms of the sale.

(6) In all matters of dispute the decision of the Chief Engineer shall be final and legally binding.

(7) Messrs. Parr & Co., Auctioneers and Commission Agents, Brigade Road, Bangalore, will conduct the sale auction.

SECTION A.

List of unserviceable Tools and Plant articles to be auctioned at the premises of the Office of the Executive Engineer, Water Supply Division, Bangalore, Seshadri Road, near Electric 'A' Station on Monday the 22nd May 1939.

Description.	*Number or Quantity.*	*Description.*	*Number or Quantity.*
Biscuit Cutter, Set	1	Glass Tumblers	9
Coffee Pots, No.	4	Glass Jug	1
Tea Spoons, Dozen	12	Peg Jugs	2
Tea Cups and Saucer, Doz.	10	Ornamental Flower Vase	1
Sugar Bowls	4	Flower Vase	1
Knives, Alluminium handle	5	Enamel Ladle	1

Description.	Number or Quantity
Enamel Egg Poaching Pan	1
Egg Beater	1
Butter Pot	1
Ice Machine with bucket	1
Meat Machine	1
Chamois leather	2
Cocoanut scraper	1
Dining Table cloth	2
Bed Sheets	6
Counter Panes	2
Pillow Cases	6
Bath Towels	6
Face Towels	6
Napkins	13
Mosquito Curtains	2
Window Curtains	8
Crumb Tray	1
Crumb Brush	1
Tray Cloths	5
TOOLS AND PLANT.	
Steel Tapes, 25′	8
Metallic Tapes, 50′	4
Do 33′	1
Metallic Tape, 25′	7
Wooden foot rules, 2′	4
Levelling staff, 14′	4
Prismatic compass with stand	2
Metallic tape refill, 100′	1
Steel Tape, 100′	1
Do 50′	3
Metallic Tape, 100′	3
Arm Chairs	4
Camp table	1
Record Box	1
Venishta Chair	1
Call Bell	1
Letter Punch	1
Mirror Stand without mirror	1
Side table	1
Time pieces	6
Reeds rotating pump	1
Diaphragm Pump	1
Chain pulley block, 1½ and 3 tons	3
Files of sizes	150
G. I. Buckets	107
Wire Brushes	40
G. I. Locks of sizes	35
Leg vice and tube vice	2
Mortar Pans	91
Cutting Pliers	2
Bellow, English	4
Hammer, 18 lbs.	1
Do 4 lbs.	2
Do 3 lbs.	14
Hacksaw Frames	3
Oil cans	2
Tin Funnels	3
File brushes	3
Brace Ratchet	1
Mamties	57
Anker jack with pully	1
Pick Axes	28
Pipe wrench 2″ opening	1
Do 3″ ,,	1
Chain Wrench, 30″	2
Hurricane lanterns	6
Pipe cutters	3
Screw Drivers of sizes	6
Augers of sizes	27
Trowels of sizes	65
Torch lights	5
Nail Puller	2
Despatch Box	2
Empty petrol cans	11
Showels	5
Iron Pots	19
Gravity Drum	1
R. ft. wire rope	625
Whistles	2
Rose watering cans	23

Description.	Number or Quantity.
Bevel square	1
Butt Hammers	14
Stone chisel bits, lbs.	838
Country Bellow 3½′×2′	1
Hacksaw Blades	8
Hand Blower	1
Girder spanner 2″×4″	2
Tarpaulins	7
R.ft. steel hose pipe 3″	25
R.ft. steel rubber pipe 3″	25
Monkey spanner	1
Neck bush for Millers pump	1
Tipping trolleys	11
Pikotas	4
Soldering set in box	1
Speedometer	1
¼″ to ¾″ tops and dies	1
Buffalow forge	1
Boiler tube cleaning brushes	3
Thermometer centigrade	1
Electric cooking plate	1
Framotax meyatl, Lbs.	1,828½
Paper pulley	1
Mortar Mills	4
Compass prismatic	5
Compass hand	1
Levelling staves ,14′	12
Brass parallel rulers of sizes	2
Steel Pipe, 25′	2
Do 50′	1
Screw nail punch with ratchet	1
Buckets, galvanised	14
Files of sizes	25
Metallic Tape, 50′	1
Fire arms	4
Locks of different types	33
Mamties long and short neck	73
Two wheel luggage carrier	1
Balance for letter weighing without weights	1
Iron spoon	1
Spike nails of sizes	175
Swords	4
Balance Scales without weights	2
Wire brushes for files	11
Sickles	5
Pick axes	14
Iron pots	13
Mortar pans	2
Stillson wrenches, 14′	2
Rose watering can	1
Grass lawn mower	1
Konkanies	3
Pickota Buckets	3
Lime squeezer	1
Electric Heater	1
Iron Kettle	3
Soap pan	1
Sause pan with covers	6
Stew pan	1
Fry pans	2
Weeding fork	1
Gardon shears	1
Electric soldering stick	1
Tin tumblers	1
Screw Spanner	1
Galvanzied buckets	10
Mortar pans	8
Manila Rope, ft.	119
Rubber gloves	1
Chairs with arm	7
Electric Fans, table	1
Carpets, 6′×3′	2
Table electric lamps	15
Enamel filters	2
Kerosene oil tins, empty	13
Soft cotton packing tins, empty	20
Scrap pieces of tar drums	8
Brass scrap of file chippings	120
Trolley wheels	43
Empty kerosene oil tins	44
Hacksaw blades	136
Empty steel drums	10
Empty packing tins	20
Old slates	2
Empty dealwood boxes	30

SECTION B.

At the above premises on Wednesday the 24th May 1939.

Description.	*Quantity.*	*Description.*	*Quantity*
Felling axes	170	Hammers	11,000
Bill hooks	330	Mamties	1,170

SECTION C.

List of serviceable Tools to be auctioned at the "Race View" premises on the Race Course Road opposite to the entrance to the Race Course, on Friday the 26th May 1939.

Description.	*Quantity*	*Description.*	*Quantity.*
Axes	100	Tampers	2,700

V. GANESHA IYER,
Executive Engineer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Abstract Notification dated 22nd April 1939.

The attention of the public is invited to the notification published in pages 780-782, Part VI of the *Mysore Gazette*, dated 27th April 1939, calling for tenders for the work of constructing a Mortuary behind the Dissection Theatre in the Medical College, Mysore.

The last date for the receipt of tenders in this office is 2 P.M., on the 10th May 1939. The amount of earnest money to be deposited is Rs. 250.

Notification dated 20th April 1939.

1. Sealed tenders will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore, up to 2 P.M. on 15th May 1939, for constructing a weaving shed for the Central Institute for Defectives at Mysore.

2. Tenders in the prescribed form obtainable from the Office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for constructing a weaving shed for the Central Institute for Defectives at Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 437 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender, an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form. The amount of earnest money should be paid direct to the Treasury and the duplicate chellan submitted separately along with tender.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 15th May 1939 at 3 P.M. The final acceptance of the tender will rest with the Superintending Engineer, Mysore Circle who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Assistant Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Assistant Engineer, Headquarter Range, Mysore, on all working days, between 11 A.M. and 5 P.M.

8. Specific rate should be given for each item in the schedule and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department for the current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Assistant Engineer, Headquarter Range, Mysore, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Assistant Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of June 1939, failing which the Assistant Engineer may, at his discretion, levy a penalty upto Rs. 10 per day, which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Assistant Engineer, Headquarter Range, Mysore.

19. No claims for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery, that will be supplied by the Assistant Engineer in the interest of the work, shall be accepted by the tenderer at the rates fixed by the Assistant Engineer, and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores; the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

NOTE.—(*A*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labours required in setting out the works.
(2) Provide all necessary scaffolding, centering labour and appliance for hoisting.
(3) Provide mortar mill and shed to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water-shoots, coverings to masonry, tile pieces to steps, sieves, parahs or measures, shoring and other requisite protection during the progress of the work.
(6) Supply all water required for work and workmen and shall provide latrines, drainages, etc.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) provide arrangements for pumping and baling from excavations and foundations, wherever and whenever necessary, with their own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.
(10) Afford facilities to any other parties employed upon the work, so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

NOTE.—(*B*) It is the business of the contractors to make their own arrangements for the quarries and supplies of materials.

23. The rates for wood-work for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore teak selected from the Mysore Government Depots must be used.

24. Work to the extent of Rs. 4,500 will have to be carried out each month.

Prevailing Government rates at Mysore Forest Depot for Mysore Teak is as follows :—

	Rs.	a.	p.	
(1) Selected 1st class logs	2	8	0	per c.ft.
(2) Cut scantling of sizes 3″×4″ ..	3	4	0	,,
(2*a*) Do 3″×5″ to 4″×7″	3	12	0	,,
(3) Planks 1″ to 1¾″ to required sizes ..	4	8	0	,,

25. Only Chamundi Brand cement should be used for all works requiring this nature.

26. Such of the tender which do not clearly quote with detailed specification for all the items without exception, will not be considered.

Abstract quantities of estimate for constructing a Weaving Shed in Central Institute for Defective, Mysore.

No.	Items of work	Unit	Rate	Quantity	Total
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation and filling in basement with watering and consolidating ..	C.yd.		71	
2	Filling in foundation with granite stone jelly concrete in lime mortar 1 : 2½, laid in layers of not more than 6″ and tamping, etc., complete	C.ft.		637	
3	Size stone in lime mortar for foundation and basement	,,		1,902	
4	Burnt brick in lime mortar for superstructure ..	,,		4,530	
5	Burnt stone slabs two lines dressed on exposed faces and one line dressed on other faces and fixed on mortar bed, etc., complete	S.ft.		1,598	
6	Providing cement concrete slabs 1 : 2 : 4	C.ft.		318	
7	Providing reinforced cement concrete slabs 1 : 2 : 4 with one per cent reinforcement for continuous bed plates of trusses in walls	,,		185	
8	Providing and fixing teakwood doors with 4″×5″ frames ⅔ glazed and ⅓ panelled, shutters 1½″ thick including top glazed ventilators with cross iron bars and all iron fixtures complete ..	S.ft.		430	
9	Providing and fixing teakwood windows with 4″×5″ frames fully glazed shutters 1½″ thick, ¾″ round iron bars, including top glazed ventilators with cross iron bars and all iron fixtures, etc., complete	,,		280	
10	Providing and fixing reinforced cement fretwork ventilators as per required design	,,		36	
11	Providing R.C.C. chajja 3′ to 4′ projection and 3″ thick at end with necessary reinforcement and anchoring into walls with plastering edge cornice, etc., complete (measurement for exposed face only)	,,		464	
12	Providing and fixing steel trusses as per plan for 20′ span, as per standard specifications with one coat of anticorrosive paint, etc., complete ..	No.		6	
13	Providing and fixing I Section joists for purlins 3″×4″ with one coat of anticorrosive paint with bolts, nuts, etc., complete	Cwt.		61	
14	Roofing with cement asbestos corrugated sheets including ridging with bolts, nuts, etc., complete ..	Sqr.		20.60	
	(*a*) Roofing with glass panes ¼″ thick plain glasses with teakwood frame work with nails, lappam, etc., complete	,,		10.30	
15	Cement asbestos sheet gutter at the eaves of roof to lead off rainwater with necessary mortar work, etc., complete	R.ft.		206	
16	Providing mortar band at roof ends with burnt brick in lime mortar and chunam plastering ..	,,		.60	
17	Flooring with 1½″ cement concrete over 4″ chunam concrete jelly to be of granite metal and ½″ cement plastering cut to tile pattern if required, etc., complete	Sqr.		20.00	
18	Plastering with chunam mortar smooth	,,		70.81	

No.	Items of work	Unit	Rate	Quantity	Total
			Rs. a. p.		Rs.
19	White and colour washing	,,		70.81	
20	Cement pointing to basement raking the joints $\frac{1}{2}$" deep and lines cut neatly	,,		9.34	
21	Painting doors and windows with lac factory green, two coats	,,		12:80	
22	Providing band cornice 4"×1"	R.ft.		206	

M. A. RAMANUJAM,
Assistant Engineer.

KADUR DIVISION.

***Notification dated** 30th April* 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kadur Division, Chikmagalur, up to 3 P.M. on 22nd May 1939, for the work of constructing a Girder Bridge across Megarmakki Halla on Narasimharajapura-Balehonnur Road.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kadur Division, should be addressed to the Executive Engineer, Kadur Division, Chikmagalur, in a sealed cover and superscribed as "Tender for the work of constructing a Girder Bridge across Megarmakki Halla on Narasimharajapura-Balehonnur Road. The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a Treasury chellan for Rs. 820 (Rupees eight hundred and twenty only) for having credited this earnest money to 17 (a) P. W. Deposits in any Government Treasury. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit will not carry any interest. Tenders unaccompanied by earnest money will not be accepted.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 22nd May 1939 at Chikmagalur. The final acceptance of the tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Chikmagalur, on all working days, between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same. For items when lumpsum is shown in the abstract the tenderer should enter a rate against the lumpsum amount.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page, noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of March 1940, failing which the Executive Engineer may, at his discretion,